

PLATFORM LIFT S08 SILVER TECHNICAL DATA	
Models	<ul style="list-style-type: none"> • STANDARD Vertical run mm 800 run, footrest mm 1200x850 • LARGE Vertical run mm 1000, footrest mm 1400x1120 • EXTRALARGE Vertical run mm 1000 run, footrest mm 1400x1250
Finish	Stainless steel; lifting unit with cataphoresis; painted in grey metal gate posts.
Safe working load	250 Kg
Max travel	1.000 mm
Voltage	230 V single phase
Pit	Not necessary
Footrest	Platform finished in non-slip aluminum
Lifting system	Electromechanical, with screw driven system
Motor	0,6 kW
Speed	0,04 m/s
Safety mechanisms	Electric lock and triangular key for manual unlock: double security valve

In conformity with:

- the European Directive 73/23/CEE - Low Voltage
- the European Directive 89/336/CEE - EMC
- the European Directive 98/37/CE - Machinery Directive (manufacturer's certification)

The data are indicative and not binding. Vimec reserves the right to change the specifications without prior notification.

PSP: at partners' service

Partner Support Program: a Vimec exclusive for its partners, aiming to supply each of them, all over the world, with a series of personalised tools for developing their business and offering the end user a better and better service.

This programme includes an introduction to the concepts of "accessibility", specific classroom training courses and training in the field for sales staff and engineers, analysis and assistance for the development of the most appropriate market strategies, and backup for the organisation of seminars (e.g. for architects, civil engineering firms, etc.) and for participation at trade fairs. Close co-operation with its partners guarantees Vimec constant improvement of its degree of knowledge of the various markets and thus of their varying needs in terms of accessibility, which translates into the design of suitable products.

All oriented towards better and better management of customer relations, and the achievement of full customer satisfaction.



Vimec s.r.l.


Via Parri, 7 - 42045 Luzzara - Reggio Emilia - Italy
Tel. + 39 0522 970 666 Fax +39 0522 970677

www.vimec.biz

www.vimec.eu

info@vimec.biz

Vimec abroad:
Madrid (Spain), London (United Kingdom), Avignon (France),
Warsaw (Poland)



AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

Accessibility, a solution for every barrier

VIMEC
Easy moving



Silver

Silver

Trouble-free access, with the new vimec platform lift

The **Silver** platform lift is the ideal way of assuring the **ACCESSIBILITY** of:

Private premises (banks, restaurants, shops, offices ...)

Public buildings (schools, institutes,)

Homes and residential buildings

EASY, SAFE

Its ease of installation and safety in use make Silver an ideal system for freedom of access to buildings of all kinds, assuring wheelchair users independent personal mobility.

EXCELLENT CONSTRUCTION

Silver's outstanding features include the stainless steel structure, design with attention to every detail and state-of-the-art active and passive safety features, as well of course as the well-proven Vimec mechanical drive systems.

The on-board and floor control panels are complete with key and can be used easily by anyone.

Silver is available with two travel distances: 800 mm and 1,000 mm.

ADAPTS PERFECTLY TO ALL FUNCTIONAL AND APPEARANCE NEEDS

It does not require a pit of any kind, so installation is really tailored to the existing structures.

PLUS:

Vimec Warranty

Distribution network covering all areas

After-sales service



Version with the gate with crystal glass

VIMEC
Easy moving



Version with the straight exit

Thanks to the electric lock, the gate is automatically opened when the platform reach the exit floor

The standard protected push-buttons, both on board and for calls at floors, have keyed controls.



Optionals:

- Gate with crystal glass
- Remote control post
- Radio controls

